



Parts Manual

Mfg. No: 1695093

E85268E, 26" 8.5 HP Two Stage Large
Frame Snow Thrower Euro Series 8


Model Components	Page
Auger Drive Group.	4
Auger Housing & Chute Group - CE Models.	6
Decals Group.	10
Engine & Frame Group - CE Models.	12
Handle & Controls Group.	14
Traction Drive Group - Standard - 26" Model.	18
Wheel & Tire Group.	20
Torque Specification Chart.	22

Not For
Reproduction

Auger Drive Group

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 1695093




Auger Drive Group

REF NO	PART NO	QTY	DESCRIPTION
1	1668344	4	PIN, SHEAR
2	7023590	4	COTTER PIN, 1/4" Self Locking
3	1612187A	1	IMPELLER ASSEMBLY, Large Frame Snow
4	1960474	1	SCREW, Set, Square Head Cup Point 3/8-16 x 1/2 G8
5	1732185	1	PULLEY, w/Hub
6	1718783A	1	AUGER ASSEMBLY, 24" & 26" R.H.
6	1718785A	1	AUGER ASSEMBLY, 28" & 30" R.H.
6	1718787A	1	AUGER ASSEMBLY, 32" R.H.
7	1718782A	1	AUGER ASSEMBLY, 24" & 26" L.H.
7	1718784A	1	AUGER ASSEMBLY, 24" & 30" L.H.
7	1718786A	1	AUGER ASSEMBLY, 32" L.H.
8	1732303	1	GEAR BOX ASSEMBLY
9	1928721	2	SCREW, Set, Square Head Cup Point 5/16-18 x 1/2 G8
10	2818312	2	KEY, Woodruff
11	1931333	1	CARRIAGE BOLT, 5/16-18 x 3/4 G5
12	1931277	1	NUT, Hex Flange Whiz Lock, 5/16-18HEX FLANGE 5/16-18
15	1733406	2	TUBE

Auger Housing & Chute Group - CE Models

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 1695093




Auger Housing & Chute Group - CE Models

REF NO	PART NO	QTY	DESCRIPTION
1	1732268D	1	HOUSING ASSEMBLY, 26"
1	1732269D	1	HOUSING ASSEMBLY, 28"
1	1723370D	1	HOUSING ASSEMBLY, 30"
1	1732008D	1	HOUSING ASSEMBLY, 32"
2	1732384A	1	BLADE, Scraper 26"
2	1709947A	1	BLADE, Scraper 28"
2	1732385A	1	BLADE, Scraper 30"
2	1709948A	1	BLADE, Scraper 32"
3	1960699	7	CARRIAGE BOLT, 5/16-18 x 5/8 G5
4	1935048	7	NUT, Hex Flange 5/16-18 Two-Way Lock
5	1727854A	2	SKID, Shoe Reversible
6	1960711	4	CARRIAGE BOLT, 3/8-16 x 3/4 G5
7	1960687	4	NUT, Hex Flange 3/8-16 ESNA
8	1665980	2	BEARING, Flange
9	1665982A	1	BEARING, Retainer
10	1930659	3	RETAINER, Nut, 5/16-18
11	1960738	3	SCREW, Hex Whiz Lock Flange 5/16-18 x 3/4
12	1729578	1	BEARING, Greased
13	1663189	2	SPACER
14	1668639D	2	CAP, Bearing
15	1923325	6	CAPSCREW, Hex Head 5/16-18 x 7/8 G5
16	1931277	7	NUT, Hex Flange 5/16-18, Whiz Lock
17	1733209	1	STICK, Cleanout w/Brush
18	722242	2	CLIP, Retainer
19	2860604	2	CAPSCREW, Hex Washer, #10 x 1-1/4
20	1933896	2	NUT, Hex Lock 10-24 w/Nylon Insert
21	724565	2	BLOCK, Universal Pivot
22	1733102D	2	CUTTER, Drift w/Tabs
23	1664847	2	SCREW, Hex Washer Head Taptite 5/16-18 x 3/4
24	1732608	1	GEAR, 13 Tooth
25	1960684	2	NUT, Hex Keps Conical Washer, 5/16-18
26	1732412	1	BOLT, Shoulder 5/16-18 x 3/5
27	1925003	8	SCREW, Hex Washer Head Taptite 1/4-20 x 1/2
28	1732607	1	GEAR, Sector 34 Tooth Powdered Metal
29	1732602A	1	SUPPORT, Driver Gear
30	1732227A	1	TUBE
31	1732606A	1	BRACKET, Gear Support
33	1960680	2	NUT, Hex Keps, 3/8-16 Conical Washer
34	1733026	1	WASHER, Powdered Metal
35	1732238	1	CABLE, Chute Brake
37	1732837A	1	BRACKET, Brake
38	1732308	1	ARM & PAD ASSEMBLY, Brake
39	1679554	1	SPRING, Extension
40	1923282	1	CAPSCREW, Hex Head 1/4-20 x 2-1/2 G5
41	1921978	2	CAPSCREW, Hex Head 5/16-18 x 2 G5
42	1923358	1	NUT, Hex Centerlock 1/4-20
43	1732231	1	ROD, Hex Chute
44	1722460	2	PIN, Quick
45	1732241	1	COVER, Chute
46	1732506	1	CHUTE & DEFLECTOR ASSEMBLY
47	1732028A	1	BRACKET, Chute Support

Auger Housing & Chute Group - CE Models


Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 1695093



Auger Housing & Chute Group - CE Models

REF NO	PART NO	QTY	DESCRIPTION
48	1960252	2	CARRIAGE BOLT, 1/4-20 x 5/8 G5
49	1960294	2	NUT, Hex Flange 1/4-20 Whiz Lock
50	1733768A	1	RING, Chute Base
51	1960715	3	SCREW, Truss Head Torx Drive 1/4-20 x 3/4
52	1920397	3	NUT, Hex Lock ESNA Light 1/4-20
55	1960686	3	NUT, Hex Flange 5/16-18 ESNA
56	1733455	1	SPRING, Extension
57	1733082A	1	BRACKET, Cable
58	696239	1	KNOB & SCREW ASSEMBLY
59	1733475	1	GUARD, Chute
61	1960593	1	NUT, Retainer Speed #10-24 w/Extrusion
62	1960140	2	NUT, Push
63	1960086	2	SCREW, Truss Head Trox Drive 5/16-18 x 7/8
66	1733476A	1	BRACKET, Chute Guard
69	1916965	2	LOCKWASHER, Spring 3/8
71	1921332	1	CAPSCREW, Hex Head 5/16-18 x 3/4 G5




Decals Group

REF NO	PART NO	QTY	DESCRIPTION
1	1733056	1	DECAL, Dashboard Standard Drive -(Domestic Only)
1	1733033	1	DECAL, Dashboard EZ Turn -(Domestic Only)
1	1733059	1	DECAL, Dashboard Standard Drive -(CE Only)
1	1733060	1	DECAL, Dashboard EZ Turn -(CE Only)
2	1732618	1	DECAL, Shift 1,2,3,4,5,6 R1 R2
3	1716532	1	DECAL, Danger Avoid Injury From Auger -(Domestic Only)
3	1727208	1	DECAL, Impeller Warning -(CE Only)
4	1733057	1	DECAL, Danger Amputation Hazard -(Domestic Only)
4	1727207	1	DECAL, Chute Warning -(CE Only)
5	-----	1	DECAL, Opei Certified ANSI -(Domestic Only)
6	1733193	1	DECAL, Snapper, Turtle
7	1733195	1	DECAL, Snapper 9528L, Stripe
7	1733194	1	DECAL, Snapper 8526L, Stripe
7	1733196	1	DECAL, Snapper 10530L, Stripe
7	1733197	1	DECAL, Snapper 11532L, Stripe
9	728183	1	DECAL, Over Adjustment of Friction Disc -(Domestic Only)
10	1733526	1	DECAL, Warning Lubrication -(Domestic Only)
11	1720454	1	DECAL, Touch Up Paint Orange, Black, Red
12	1733443	1	DECAL, Chute Release Arrow
13	-----	1	DECAL, ID Plate
15	725432	1	DECAL, Belt Stretch & Adjustment -(Domestic Only)

Engine & Frame Group - CE Models

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 1695093



Engine & Frame Group - CE Models

REF NO	PART NO	QTY	DESCRIPTION
1	-----	1	* ENGINE, 8.5HP B&S Powerbuilt, Mod. #15A1140117E1
1	-----	1	* ENGINE, 9.5HP B&S Powerbuilt, Mod. #20A4140116E1
1	-----	1	* ENGINE, 10.5HP B&S Powerbuilt, Mod. #20E2140112E1
1	-----	1	* ENGINE, 11.5HP B&S Powerbuilt, Mod. #21C2140113E1
4	720064	4	CARRIAGE BOLT, 3/16-18 x 1-1/2
5	720376	4	NUT, Speed
6	2831277	1	NUT, Hex Flange 5/16-18 Whiz Lock
7	1960686	3	NUT, Hex Flange 5/16-18 ESNA
8	722085	1	PULLEY, Engine
9	1919381	2	WASHER, 3/16
9	1922755	2	WASHER, 3/8
10	1916965	1	LOCKWSHER, Spring 3/8
11	1921982	1	CAPSCREW, Hex Head 3/8-24 x 1-1/4 G5
11	1960428	1	CAPSCREW, Hex Head 3/16-24 x 1-1/4 G5
12	1733324	1	V-BELT, 3L 33.13, Drive
13	1733051	1	V-BELT, 4L 36.5, Auger -(Used only on 8.5 - 9.5 HP Models)
13	1733507	1	V-BELT, 4L 38.5, Auger -(Used only on 10.5 - 11.5 HP Models)
14	1733014	1	STOP, Belt
15	1917356	3	LOCKWASHER, Spring 3/16
16	1921515	2	CAPSCREW, Hex Head 5/16-24 x 3/4 G5
17	722090	1	IDLER BRACKET ASSEMBLY, Drive Belt
18	-----	1	BUSHING, Idler Bracket
19	724418	1	SPRING, Extension Idler
20	722378	2	IDLER, Plastic Ball Bearing
21	1960251	2	NUT, Hex Centerlock Jam 3/8-16
22	724823	1	CARRIAGE BOLT, 3/8-16 x 1-1/4
23	1733055	1	IDLER ASSEMBLY, Auger
24	722118	1	SPACER/AUGER BRACKET
25	80003590	1	WASHER, 1/2
26	1733626	1	BRACKET & HUB ASSEMBLY, Spring
27	725367	1	PIN, Hair
28	725675	1	PIN, Clevis
29	722067A	1	PANEL, Bottom
30	1927429	12	SCREW, Hex Washer Head Taptite 1/4-20 x 5/8
31	722455	1	SPRING, Extension Auger Idler
32	722061D	1	FRAME BOX, 7.5-8.5HP
32	1733154D	1	FRAME BOX, Steerable
33	1733583D	1	PLATE, Engine Mount
34	1924856	4	SCREW, Hex Washer Head Taptite 5/16-18 x 1/2
35	1664847	6	SCREW, Hex Washer Head Taptie 5/16-18 x 3/4
36	1732486	1	COVER, Belt w/Toolbox B&S
39	722887	2	SCREW, 1/4-AB x 3/4 Hex
44	1733898	1	SHAFT, Seal
45	1733868A	1	SEAL, Plate
46	1733897	1	SEAL, Strip
47	1733924	1	CLIP, Pine Tree


Footnotes:

Note* See your local Briggs & Stratton Distributor for Parts & Service.

Handle & Controls Group

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 1695093



Handle & Controls Group

REF NO	PART NO	QTY	DESCRIPTION
1	1923701	2	CAPSCREW, Hex Head 3/8-16 x 2 G5
2	1732470	1	KNOB, Interior Thread 3/8-16
3	1732427	1	ROD, Chute
4	1924356	1	WASHER, 3/8
5	-----	2	SPRING
6	1918266	2	WASHER, 3/8
7	1919439	2	NUT, Hex Lock ESNA Light 3/8-16
8	1722667	1	GRIP, Clutch, L.H.
9	1733192	1	KNOB, Slot Speed
10	1733205	1	ROD & PLATE ASSEMBLY, Speed Control
11	1919326	1	WASHER, 5/16
12	1918447	1	COTTER PIN
13	1733045A	1	BRACKET, Trac & Deflector Control
14	1732531	1	ROD
0640	703853	2	WASHER, 1/2
15	1931277	3	NUT, Hex Flange 5/16-18 Whiz Lock
16	1732971	1	CABLE, Deflector Control
17	2820263	2	NUT, Hex 5/16-24
18	1960608	1	NUT, Hex Flange 1/4-20 Centerlock
19	724360	1	BALLJOINT, Steel
20	1917356	1	LOCKWASHER, Spring 5/16
21	1732970	1	SPRING, Extension
22	1732365	1	TUBE & BRACKET ASSEMBLY, Cable
23	1924856	4	SCREW, Hex Washer Head Taptite 5/16-18 x 1/2
25	1732364	1	SUPPORT, Chute Control
26	1927429	4	SCREW, Hex Washer Head Taptite 1/4-20 x 5/8
27	1732944	1	BOLT, Shoulder 1/4-20
28	1733142	1	BRACKET, Support Quick Turn
29	1732369	1	ROD, Chute
30	1920397	7	NUT, Hex Lock ESNA Light 1/4-20
31	1917421	1	NUT, Hex Jam 3/8-16
32	723122	1	GRIP, Lever 3/8-16
33	1732417D	1	COVER, Panel
34	1960715	7	SCREW, Truss Head Torx Drive 1/4-20 x 3/4
35	1733204	1	BELLOWS, Black Rubber Quick Turn
36	1922837	3	CAPSCREW, Hex Head 1/4-20 x 1-1/2 G5
37	1931333	3	CARRIAGE BOLT, 5/16-18 x 3/4 G5
38	1921962	1	CAPSCREW, Hex Head 1/4-20 x 1-3/4 G5
39	1732064A	1	SUPPORT, Dash Panel Cover
40	1732471	1	CABLE & SPRING ASSEMBLY, Auger Drive R.H.
41	1722638	1	GRIP, Clutch R.H.
42	1923358	2	NUT, Hex Centerlock 1/4-20
43	1726317	2	GRIP
44	1715655	2	SPACER
45	1678392	2	SPACER
46	1960671	2	SCREW, Pan Head Torx 1/4-20 x 3/4
47	1732783A	1	HANDLE, Upper R.H. Tubular
48	1732782A	1	HANDLE, Upper L.H. Tubular


Footnotes:

0

Handle & Controls Group

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 1695093



Handle & Controls Group

REF NO	PART NO	QTY	DESCRIPTION
49	1960723	4	CARRIAGE BOLT, 5/16-18 x 2-1/4 G5
50	1732781A	1	HANDLE, Lower Tubular
51	1960686	4	NUT, Hex Flange 5/16-18 ESNA
52	1935048	2	NUT, Hex Flange 5/16-18 Two-Way Lock
53	1664847	2	SCREW, Hex Washer Head Taptite 5/16-18 x 3/4
54	723259	1	BRACKET, Cable Adjusting
55	723154	1	BOOT, Control Spring
56	727331	1	CABLE, Front Drive
58	1679166	1	SPACER
59	1733505A	1	BRACKET, Free Hand Control
60	1733095	1	SPACER, Powdered Metal
61	-----	1	ROD & SPRING ASSEMBLY, w/Pin
62	80003590	4	WASHER-, 1/2
63	-----	1	SPRING, Compression
64	1960353	1	WASHER, 1/4
65	1722630	1	ROD, Hold Down
66	1732322	1	HEADLIGHT ASSEMBLY, Oval Clear
67	1704351	10	FASTENER, Panel
68	1931320	2	CARRIAGE BOLT, 1/4-20 x 1-1/4 G5
69	-----	2	SCREW, Pan Head Torx #10 x 1/2
70	724621	1	SPOOL CABLE, Auger Control
71	1733481A	1	BRACKET, Spout Cable
72	1960589	1	SCREW, Round Head Phillips #10-24 x 3/4
73	1933896	1	NUT, Hex Lock 10-24 w/Nylon Insert
74	-----	1	CABLE & HANDLE ASSEMBLY


Footnotes:

0

Traction Drive Group - Standard - 26" Model

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 1695093




Traction Drive Group - Standard - 26" Model

REF NO	PART NO	QTY	DESCRIPTION
1	724613	1	CHAIN, Roller
2	723655	4	RETAINER & BUSHING ASSEMBLY
3	724619	5	WASHER
4	1924856	8	SCREW, Hex Washer Head Taptite 5/16-18 x 1/2
5	724627	1	CHAIN, Roller
6	721910	5	RETAINER, Ring 7/16
7	722377	1	SPRING LINK ASSEMBLY STANDARD
8	1736469	3	SPRING, Extension
9	722081	1	SPROCKET, Set
10	80003590	2	WASHER, 1/2
11	722082	1	AXLE, Swing Plate
12	722211	1	AXLE, Bushing
13	720220	1	BOLT, Hex 1/4-20 x 1-3/4
16	722080	1	SPROCKET, Axle
17	722091	2	BEARING, Axle D-Hole
18	722083	1	HEX SHAFT & SPROCKET ASSEMBLY
19	723694	1	HUB, Friction Wheel & Bearing
20	722185	1	WHEEL, Friction
21	1921959	3	CAPSCREW, Hex Head 1/4-20 x 5/8 G5
22	1928372	3	NUT, Hex KEPS 1/4-20
23	1733326	1	RING, Retaining, Extension
24	722391	1	NUT, FlangeLock 38-24
25	722069	1	PLATE, Swinging
26	722110	1	SPACER, Friction Pulley
27	722092	1	FRICTION PULLEY ASSEMBLY
28	722087	1	SPEED SELECT ASSEMBLY
29	724636	1	BEARING, Flange
30	1920397	2	NUT, Hex Lock ESNA Light 1/4-20
31	1922837	1	CAPSCREW, Hex Head 1/4-20 x 1-1/2 G5
32	724621	1	SPOOL CABLE, Auger Control
33	722070	1	BRACKET, Cable Spool
34	722095	1	CABLE, Front Drive Lower All

Wheel & Tire Group

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 1695093






Wheel & Tire Group

REF NO	PART NO	QTY	DESCRIPTION
1	1731186	2	PIN, Klik .313 x 1.97 -(Used on 26" Models)
1	1679697	2	PIN, Klik 1/4 x 1-3/4 -(Used on 28", 30" & 32" Models)
2	1732935	1	WHEEL & TIRE ASSEMBLY, 15 x 5 L.H & R.H. -(Used on 26" Models)
2	1723169	1	WHEEL & TIRE ASSEMBLY, 15 x 5 L.H. -(Used on 28" Models)
2	1714235	1	WHEEL & TIRE ASSEMBLY, 16 x 4.8 L.H. -(Used on 30" & 32" Models)
3	1732935	1	WHEEL & TIRE ASSEMBLY, 15 x 5 L.H & R.H. -(Used on 26" Models)
3	1733089	1	WHEEL & TIRE ASSEMBLY, 15 x 5 R.H. -(Used on 28" Models)
3	1720306	1	WHEEL & TIRE ASSEMBLY, 16 x 4.8 R.H. -(Used on 30" & 32" Models)
4	1664090	1	TUBE, Tire 4.10/3.50-6 L.H. -(Used on 28" Models)
4	2153038	1	TUBE, Tire 4.80/4.00 L.H. & R.H. -(Used on 30" & 32" Models)
5	1723287	1	TIRE, 15 x 5.00-6, 2 PLY, KENDA L.H. -(Used on 26" & 28" Models)
5	1612000	1	TIRE, 4.80/4.00-8 L.H. & R.H. -(Used on 30" & 32" Models)
6	1657528	2	RETAINING RING, Extension, #75 3/4 Self Lock -(Used on 26" Models)
7	2172353	1	VALVE STEM & CAP -(Used on All Models)
8	725394	2	WASHER, Flat -(Used on 26" Models)
9	1723286	1	HUB, Wheel L.H. -(Used on 28" Models)
9	1714242	1	HUB, Wheel 3.756 Wide 8. L.H. -(Used on 30" & 32" Models)
9	1720307	1	HUB, Wheel 3.75 Wide 8. R.H. -(Used on 30" & 32" Models)

Hardware Identification & Torque Specifications

Torque Specification Chart								
FOR STANDARD METRIC MACHINE HARDWARE (Tolerance ± 20%)								
Property Class	 Class 5.6		 Class 8.8		 Class 10.9		 Class 12.9	
Size Of Hardware	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.
M3	5.88	.56	13.44	1.28	19.2	1.80	22.92	2.15
M4	13.44	1.28	30.72	2.90	43.44	4.10	52.56	4.95
M5	26.4	2.50	60.96	5.75	5.97	8.10	7.15	9.7
M6	44.64	4.3	7.3	9.9	10.3	14	12.1	16.5
M7	5.2	7.1	12.1	16.5	16.9	23	19.9	27
M8	7.7	10.5	17.7	24	25	34	29	40
M10	15	21	35	48	50	67	59	81
M12	26	36	61	83	86.2	117	103	140
M14	42	58	101	132	136	185	162	220
M16	64	88	147	200	210	285	250	340
M18	89	121	202	275	287	390	346	470
M20	126	171	290	390	405	550	486	660
M22	169	230	390	530	559	745	656	890
M24	217	295	497	375	708	960	840	1140
M27	320	435	733	995	1032	1400	1239	1680
M30	435	590	995	1350	1401	1900	1681	2280
M33	590	800	1349	1830	1902	2580	2278	3090
M36	759	1030	1740	2360	2441	3310	2935	3980
M39	988	1340	2249	3050	3163	4290	3798	5150

The guides and ruler furnished below are designed to help you select the appropriate hardware.



Standard Hardware Sizing

When a washer or nut is identified as 1/2" (M8), this is the *Nominal size*, meaning the *inside diameter* is 1/2 inch (8mm metric thread diameter); if a second number is present it represents the *threads per inch* (distance between threads).


When bolt or capscrew is identified as 1/2 - 16 x 2" (M8 - 1.25 x 50), this means the *Nominal size*, or body diameter is 1/2 inch (8mm metric thread diameter), the second number, 16, represents the *threads per inch*, (*distance between threads*). The final number is the body length of the bolt or screw, 2 inches (50mm).

Torque Specification Chart						
FOR STANDARD MACHINE HARDWARE (Tolerance ± 20%)						
Hardware Grade	 SAE Grade 2		 SAE Grade 5		 SAE Grade 8	
Size Of Hardware	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.
8-32	19	2.1	30	3.4	41	4.6
8-36	20	2.3	31	3.5	43	4.9
10-24	27	3.1	43	4.9	60	6.8
10-32	31	3.5	49	5.5	68	7.7
1/4-20	66	7.6	8	10.9	12	16.3
1/4-28	76	8.6	10	13.6	14	19.0
5/16-18	11	15.0	17	23.1	25	34.0
5/16-24	12	16.3	19	25.8	29	34.0
3/8-16	20	27.2	30	40.8	45	61.2
3/8-24	23	31.3	35	47.6	50	68.0
7/16-14	30	40.8	50	68.0	70	95.2
7/16-20	35	47.6	55	74.8	80	108.8
1/2-13	50	68.0	75	102.0	110	149.6
1/2-20	55	74.8	90	122.4	120	163.2
9/16-12	65	88.4	110	149.6	150	204.0
9/16-18	75	102.0	120	163.2	170	231.2
5/8-11	90	122.4	150	204.0	220	299.2
5/8-18	100	136	180	244.8	240	326.4
3/4-10	160	217.6	260	353.6	386	525.0
3/4-16	180	244.8	300	408.0	420	571.2
7/8-9	140	190.4	400	544.0	600	816.0
7/8-14	155	210.8	440	598.4	660	897.6
1-8	220	299.2	580	788.8	900	1,244.0
1-12	240	326.4	640	870.4	1,000	1,360.0

NOTES

- These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
- Recommended seating torque values for locknuts:
 - for prevailing torque locknuts - use 65% of grade 5 torques.
 - for flange whizlock nuts and screws - use 135% of grade 5 torques.
- Unless otherwise noted on assembly drawings, all torque values must meet this specification.

Common Hardware Types



Wrench & Fastener Size Guide

 1/4" Bolt or Nut Wrench—7/16"	 5/16" Bolt or Nut Wrench—1/2"	 3/8" Bolt or Nut Wrench—9/16"	 7/16" Bolt or Nut Wrench (Bolt)—5/8" Wrench (Nut)—11/16"	 1/2" Bolt or Nut Wrench—3/4"
M6 Bolt or Nut Wrench—10mm	M8 Bolt or Nut Wrench—13mm	M10 Bolt or Nut Wrench—17mm	M12 Bolt or Nut Wrench—19mm	M14 Bolt or Nut Wrench—22mm

